

DATACARD® MX2100™ CARD ISSUANCE SYSTEM DATACARD® MXD210™ CARD DELIVERY SYSTEM DATACARD® MXi211™ ENVELOPE INSERTION SYSTEM



ADVANCED TECHNOLOGY END-TO-END

True field modularity gives you real choices. Choose from the following modules to configure your MX2100 System.

- System Controller
- Card Input
- Card Cleaning
- Vision Verification Gen 2
- Magnetic Stripe Encoding
- OCR-B/Bar Code Scanner
- Smart Card Personalization
- Durable Graphics Printing
- Graphics Printing Gen 2
- Single-Step Color Printing
- Laser 325
- Basic Topcoat
- Datacard® CardGard® UV-Curing Topcoat
- Datacard® DuraGard® Laminate
- Secure Indent
- Embossing Indent Printing
- Secure Indent Printing
- Topping
- Label Affixing
- Card Flippers
- Multi-Card Buffer
- Quality Assurance
- Card Output
- Datacard® MXD210™ Card Delivery System
- Datacard® MXi211™ Envelope Insertion System

Make An Affordable Move To The World Of Modularity

The Datacard® MX2100™ Card Issuance System is our most affordable central issuance platform that offers true modularity. You can configure the system with the exact personalization capabilities you need, then add new modules as your card designs and card volumes change. Up to 1,200 CPH rated speed makes this an ideal system for mid-sized service bureaus or smaller in-house operations with aggressive growth plans.

Powerful Integrated Software: Controller Software provides a single interface for all interactions with the MX2100 System. This powerful software manages seamless access to the system, enables easy creation of card and job setups and tracks production level audits to drive efficiency and help enable operational security.

Unique Technologies: Supports proven card personalization technologies as well as advanced UV-curable and laser engraving in a compact, affordably priced footprint.

True Field Modularity: The MX2100 System is the industry's most affordable high-volume solution that offers true field modularity and strong investment protection. More than simple "configurability," it allows you to start with the capabilities you need today, then add capacity or new technologies — with truly field-installable modules — as your needs change. The MX2100 System is driven with a common software platform shared by the entire MX Series family.

Smart Card Productivity: An innovative smart card module — powered by Datacard® Adaptive Issuance™ Chip Interface Software — offers flexibility and high-speed processing of contact, contactless, dual interface or combi smart cards in a smaller system footprint. Scalable to meet growing demands.

Advanced Quality Assurance: Greatly reduce errors and waste by automatically verifying physical and electronic elements inline. These capabilities reduce the need for manual inspection and directly contribute to higher throughput and lower costs.

Service and Support: The MX Series Platform is supported by the industry's largest service and support network, which spans more than 150 countries worldwide. Online and phone support is available 24/7.

Datacard®

MAKE AN IMPACT WITH INLINE CARD DELIVERY

Take advantage of incredibly powerful ways to differentiate your brand and your card program. Create card carriers with customized 1:1 messages — use the space to encourage card activation, add promotional coupons and cross-sell other products and services. Add variable data to personalize your mailings to make your messages stand out.

MXD210 Card Delivery System


- Reduce Production Steps and Increase Throughput:** Discover the power of inline card delivery. Print personalized messages for cardholders, then affix cards with no manual intervention or slowing down productivity.
- Card Flexibility:** Place up to four cards per form on either the middle and/or lower panels. This additional template and card placement flexibility accommodates a wider range of high-impact marketing campaigns.
- Increased Production Integrity:** Reduce human error and help ensure card-to-form integrity by leveraging the automated bar code verification process. Multiple verifications provide increased audit control and data integrity.
- Print-on-Demand:** Leverage black and white printing inline, feeding preprinted sheets into the system.



With the MXD210 System, you can choose from the following modules:

- Card Affixing
- Form Buffer
- Form Folder
- Form Stacker
- Black & White Laser Printer






IMPROVE EFFICIENCY AND CREATE CUSTOM CARD MAILINGS

Bring the reliability and security you need to finished mailings by adding the inserting and folding technologies of the MXi211 System to your inline issuance process.

MXi211 Envelope Insertion System

- **Increase Productivity:** The MXi211 System offers inline insertion and sealing. The system requires very minimal operator intervention.
- **Enhance Security:** Because the entire issuance process occurs inline, it substantially reduces the risk of lost or stolen cards.
- **Mix and Match:** Choose from the single-insert feeder, a dual-station tower feeder that loads two inserts and helps save space, or the integrity verification feeder that helps ensure the proper inserts are loaded, reducing errors.
- **Maximize Marketing Impact:** Select unique inserts for individual cardholders during the same print job and data stream. Process more customized mailings per hour with fewer interruptions for job setup.



With the MXi211 System, you can choose from the following modules:


- Standard Insert Feeder
- Integrity Insert Feeder
- Tower Insert Feeder
- Inserter Base and Envelope Feeder
- Envelope Stacker

DATACARD® MX2100™ CARD ISSUANCE SYSTEM

| MX2100 Key System Specifications | |
|----------------------------------|--|
| Rated Speed | Up to 1,200 CPH |
| Operating System | Microsoft® Windows® 10 IoT Enterprise 2016 LTSC |
| Template Management | Microsoft® Word 2013 |
| Maximum Configuration | MX2100: Up to 9 personalization modules (not including base system, card input, card cleaning, vision verification, quality assurance, multi-card buffer, and card flipper) MXD210: Up to 1 system per personalization system MXi211: Up to 1 per MXD210 System, up to 7 insert modules (up to 14 insert stations with tower feeder) |
| Cards Per Form | Up to 4 cards on middle and/or lower panels |
| Printer Ready Data | PCL (black and white), PDF |
| Electrical Requirements | MX2100: 230V, 50/60Hz, 15 Amps MXD210: 230V, 50/60Hz, 15 Amps MXi211: 230V, 50/60Hz, 15 Amps |
| Operating Requirements | Room temperature: 65° to 80° F (18° to 27° C); Humidity: 35% to 85% (non-condensing) Recommend service area around system be at least 36" (76.2 cm) to help provide adequate airflow. See module datasheets for specific information. |
| Storage Requirements | Room temperature: 50° to 130° F (10° to 54° C); Humidity: 0% to 85% (non-condensing) |
| Agency Approvals | FCC, UL, cUL, CE and RoHS Compliant |
| Card Types Supported | ISO/IEC 7810 ID-1 Size; 30 mil (+/- 10%) |
| Card Materials Supported | Most card materials can be processed, including PVC, composite, polycarbonate, ABS, PET and PETG. Limitations may exist for each personalization or verification technology. |
| Paper Types Supported | 20-24lb bond paper (90.3gsm) See Datacard Card Delivery Paper/Envelope Guidelines. |

Note: MX2100 System modules cannot be used in the Datacard® MX6100™ Card Issuance System and MX6100 System modules cannot be used in the MX2100 System.

EVERYTHING YOU NEED — INLINE



davies

Davies Enterprises Ltd.
114 Chain Lake Drive
Halifax, NS B3S1B1
(902) 450-5075
www.daviesenterprises.com

 **Entrust Datacard®**

Corporate Headquarters
U.S. Toll-Free Phone: 888-690-2424
International Phone: +1-952-933-1223

info@entrustdatacard.com
entrustdatacard.com

Entrust Datacard, Datacard, MX2100, MXD210, MXi211, MX6100, Adaptive Issuance, CardGard, DuraGard and the hexagon design are trademarks, registered trademarks, or service marks of Entrust Datacard Corporation in the United States and/or in other countries. Names and logos on sample cards are fictitious. Any similarity to actual names, trademarks or tradenames is coincidental. Specifications may change without notice.
©2013-2020 Entrust Datacard Corporation. All rights reserved.
CI13-5028-014